



CARLISLE
FOODSERVICE PRODUCTS

CARLISLE



RUGGED BEAUTIFUL PORTABLE CONVENIENT **CATERING EQUIPMENT**

Carlisle's catering equipment line is the professional's choice for your insulated transport needs. Only Carlisle Cateraide's can offer attractive contemporary styling, longer hold times and unique battle tested features that provide you superior value.





Choose The CATERAIDE™ To Best Fit Your Needs.

All Cateraides are NSF Listed and made of rugged, stain- and scratch-resistant polyethylene.

Good

LD, XT and PC Series pan carriers withstand the wear and tear of high volume catering and insulate for 4-6 hours. PC Series Cateraides are our workhorse product and include both end loaders and top loaders that can be used for hot or cold food. PC top loaders feature automatic self-venting system, preventing unsanitary vent openings and lost vent caps. LD and XT beverage carriers feature a faucet 4" from the base to ensure space for cups or glasses and include the Nylex II™ latch mounted into steel reinforcement plates for extended life. XT beverage carriers stack with standard Cateraides or other major competitors.



LD, XT & PC Series



Better

Carlisle's patented* Slide 'N Seal™ design is combined with Carlisle's thick insulation to hold temperatures for 4 to 6 hours. Slide 'N Seal carriers have self-venting, sliding doors and lids. There are no metal parts, latches, hinges or gaskets to clean, break or wear out. A beverage server is also offered in our Slide 'N Seal line. Our patented unique lid seal provides leak-proof transport. These items have a sleek, contemporary appearance. The ergonomical design them easy to load, handle, stack and store. Items include a molded-in tag slot to seal and tag carrier for safety and food identification.

*Slide 'N Seal Pan Carrier Patent No. 7,134,552



Slide 'N Seal





Best

IT Cateraides are manufactured to provide superior food quality and safety. Designed for the professional, Cateraide IT features commercial foam insulation, reinforced corner and one-handed adjustable latches. The detailed design continues with recessed hinges that stay out of the way and are less likely to catch and break. Transporting is easier with multiple comfort-grip handles and secure stacking of units. Let Cateraide IT keep your food safe and secure.



IT Series





CATERAIDE™ IT

Introducing the **newly designed** Cateraide IT insulated transport line of products. IT is the only choice for foodservice professionals who demand they have it all. For the first time, rugged durability and industry leading safe food holding times are combined with **attractive, contemporary styling**. Cateraide IT sets a **new standard for value**.

Insulated Beverage Dispenser

- Heavy foam insulation holds temperatures in the safe zone for over 6 hours
- Field adjustable latches ensure a secure seal for the life of the carrier
- “Spring Action” faucet for no drip service
- Button-hole latch design offers convenient one hand operation and keeps the doors and lids closed tightly for better temperature retention
- Sure-grip handles promote a safe, stable, two-person lift for easy loading and unloading



IT500



IT500

Easily identify contents using the integrated writing surface



Higher spigot position allows for larger cups and mugs to fit underneath with ease



| Prod No | Description | Color | Pack |
|---------------------|----------------------------|--------|------|
| Cateraide IT | | | |
| IT250 Δ | 2.5 gal Beverage Dispenser | 03, 43 | 1 ea |
| IT500 Δ | 5 gal Beverage Dispenser | 03, 43 | 1 ea |
| IT1000 Δ | 10 gal Beverage Dispenser | 03, 43 | 1 ea |

NSF Listed products are designated with a Δ and may be prefixed with an N
Note: IT1000 can be shipped UPS/FedEx ground at oversize cost

End & Top Loader

- Holds six 2-1/2" deep food pans
- Heavy foam insulation holds temperatures in the safe zone for over 6 hours
- Secure stacking for easy transport and storage
- Sure-grip handles promote a safe, stable, two-person lift for easy loading and unloading
- Exclusive, low-profile, double hinge opens 270° for easy loading and unloading; lies flat to save space and makes it less likely to break
- Field adjustable latches ensure a secure seal for the life of the carrier
- Door hinge can be removed for easy, thorough cleaning
- Built-in seal eliminates gaskets on end & top loaders
- Use with CaterCooler to help keep foods at ServeSafe® temps longer (shown on page 176)

ServeSafe® is a registered trademark of the National Restaurant Association



Flat top design can be used as a prep surface when space is limited



Button-hole latch design offers convenient one hand operation



Exclusive double hinge opens 270°



IT400



IT410

4 rotating wheels give this dolly unmatched maneuverability



IT140



| Prod No | Description | Color | Pack |
|---------------------|---|-------------|------|
| Cateraide IT | | | |
| IT400 Δ | End Loader (six pan capacity) | 03, 43, 62* | 1 ea |
| IT140 Δ | 4" Top Loader (holds one full size pan up to 4" deep) | 03, 43 | 1 ea |
| IT160 Δ | 6" Top Loader (holds one full size pan up to 6" deep) | 03, 43 | 1 ea |
| IT180 Δ | 8" Top Loader (holds one full size pan up to 8" deep) | 03, 43 | 1 ea |
| IT410 Δ | End Loader Dolly with Casters | 03 | 1 ea |

NSF Listed products are designated with a Δ and may be prefixed with an N

Note: IT180, IT400 can be shipped UPS/FedEx ground at oversize cos

* Color available by special order only

CATERAIDE™ SLIDE 'N SEAL

Only the Carlisle Slide 'N Seal offers **latch free construction** with no metal parts. Perfect for outdoor use in recreation and leisure markets, schools and correctional facilities.

Insulated Beverage Dispenser

- Revolutionary Slide 'N Seal design is combined with Carlisle's thick insulation to hold temperatures longer
- Patented* Slide 'N Seal design glides shut and closes tightly without latches
- No metal parts – ideal for correctional facilities
- The integrated seal keeps beverages hot or cold longer
- Sleek contemporary appearance; ergonomically designed for easy loading, handling, stacking and storing
- Tough, scratch-resistant polyethylene construction is easy to clean and maintain
- "Spring action" faucet for dripless service
- NSF Listed

*Slide 'N Seal Patents Beverage Dispensers: Patent No. 7,328,816



XB5

Find replacement parts at www.carlislefsp.com/replacement-parts



Easy twist on/off lid for leak-proof transport



Molded-in handles for easy transport



Lock can be placed through molded-in tag hole for a secure, tamper-proof closure



| Prod No | Description | Color | Pack |
|---------|--|--------------|------|
| XB5 Δ | 5 gal Slide 'N Seal Beverage Dispenser | 01*, 03, 08* | 1 ea |

NSF Listed products are designated with a Δ and may be prefixed with an N

* Color available by special order only

Top & End Loaders

- Revolutionary Slide 'N Seal design is combined with Carlisle's thick insulation to hold temperatures longer
- Patented* Slide 'N Seal lids and doors glide shut and stay closed without latches or gaskets
- No metal parts – ideal for correctional facilities
- The integrated seal keeps food hot or cold longer
- Self-venting lids and doors keep foods fresher, crisper and more appetizing
- Exclusive lid design has a molded-in tethered lock pin to seal carrier for safety
- End Loader has molded-in tag slot to seal and tag carrier for safety and food identification
- Sleek contemporary appearance; ergonomically designed for easy loading, handling, stacking and storing
- Tough, scratch-resistant polyethylene construction is easy to clean and maintain
- Use with CaterCooler to help keep foods at ServeSafe® temps longer (shown on page 176)
- NSF Listed

*Slide 'N Seal Patents

Pan Carriers: Patent No. 7,134,552



Sliding doors easily open and close for quick access and transport

Find replacement parts at
www.carlislefsp.com/replacement-parts



| Prod No | Description | Color | Pack |
|----------------------------------|-----------------------------|----------------|------|
| Slide 'N Seal Top Loaders | | | |
| XT1400 Δ | 4" Slide 'N Seal Top Loader | 03 | 1 ea |
| XT1600 Δ | 6" Slide 'N Seal Top Loader | 01**, 03, 08** | 1 ea |
| XT1800 Δ | 8" Slide 'N Seal Top Loader | 01**, 03 | 1 ea |
| Slide 'N Seal End Loaders | | | |
| XT3000R Δ | Slide 'N Seal End Loader | 01*, 03 | 1 ea |

NSF Listed products are designated with a Δ and may be prefixed with an N
 NOTE: XT1800, XT3000R can be shipped UPS/FedEx Ground at oversize cost

** Color available by special order only



CATERAIDE™ XT & LD

XT Series Insulated Beverage Dispenser - *The Value Leader*

- Made of rugged, stain- and scratch-resistant polyethylene
- Filled with extra thick foam insulation for maximum temperature retention
- Stacks with itself and with other major competitors
- Smooth interior walls and rounded corners leave no food traps and provides quick clean-up
- Convex lid design prevents leaks during use as pressure increases
- Modern XT lid design with convenient pop-up vent
- Improved O-ring seal eliminates leaks during transport
- Easy-grip, formed handles for transporting
- Sure-Latch™ wide design has three times the latch area of other beverage servers for a secure seal
- Latches are mounted into steel reinforcement plates for long life
- “Spring action” faucet for dripless service
- NSF Listed



Find replacement parts at www.carlislefsp.com/replacement-parts



| Prod No | Description | Color | Pack |
|--------------------------------------|-------------------------|------------------|------|
| Cateraide XT Beverage Servers | | | |
| XT2500 Δ | 2.5 gal Beverage Server | 01, 03, 08*, 59 | 1 ea |
| XT5000 Δ | 5 gal Beverage Server | 01, 03, 08, 59 | 1 ea |
| XT10000 Δ | 10 gal Beverage Server | 01, 03, 08*, 59* | 1 ea |

NSF Listed products are designated with a Δ and may be prefixed with an N

NOTE: XT10000 can be shipped UPS/FedEx Ground at oversize cost

* Color available by special order only

LD Series Insulated Beverage Dispensers

- Made of rugged, stain- and scratch-resistant polyethylene
- Filled with extra thick foam insulation for maximum temperature retention
- Stacks with itself and with other major competitors
- Smooth interior walls and rounded corners leave no food traps and provides quick clean-up
- Convex lid design prevents leaks during use as pressure increases
- Reinforced, tight-fitting lids with O-ring seals prevent leaks and provide increased heat retention
- Easy-grip, formed handles for transporting
- “Spring action” faucet for dripless service
- Nylex II™ latches have no sharp edges, won't rust, bend or dent like metal and are mounted into steel reinforcement plates for long life
- NSF Listed



Find replacement parts at
www.carlislefsp.com/replacement-parts



| Prod No | Description | Color | Pack |
|--------------------------------------|-------------------------|------------------|------|
| Cateraide LD Beverage Servers | | | |
| LD250N Δ | 2.5 gal Beverage Server | 01, 03 | 1 ea |
| LD500N Δ | 5 gal Beverage Server | 01, 03, 08*, 59 | 1 ea |
| LD1000N Δ | 10 gal Beverage Server | 01, 03, 08*, 59* | 1 ea |

NSF Listed products are designated with a Δ and may be prefixed with an N

NOTE: LD1000N can be shipped UPS/FedEx Ground at oversize cost

* Color available by special order only



CATERAIDE™

CaterCooler™

- Freeze CaterCooler overnight or for eight hours and it will keep food at or below the ServSafe® guidelines of 40°F for up to eight hours without ice*
- Designed to slide into a Cateraide End Loader, Double End Loader or place on top of food pans in a Top Loader
- Durable polyethylene shell

ServSafe® is a registered trademark of the National Restaurant Association

*Temperature retention is based on CaterCooler being pre-frozen for a minimum of eight hours, then placed directly into Cateraide pan carrier. Pan Carrier unit is then filled with pre-chilled food pans. Testing was conducted under ambient room temperatures of 76°F.

CaterCooler shown with PC300N End Loader



PC660



Pan Carriers

- Cateraide construction made of rugged, stain- and scratch-resistant polyethylene
- Filled with extra thick foam insulation for maximum temperature retention
- Exclusive automatic self-venting system eliminates unsanitary vent openings and easily lost vent caps
- Heat resistant to 200°F
- Find replacement parts at www.carlislefsp.com/replacement-parts
- NSF Listed

Use with StorPlus™ Food Pans or DuraPan™ shown on pages 218-225



PC300N

PC600N

Insulated End Loader

- Individual track for each food pan
- PC300N end loader holds five 2.5" deep pans
- PC600N has twice the capacity of the PC300N
- PC600N's separate compartments enable you to put hot food in one; cold in the other
- Use with CaterCooler (shown above) to help keep foods at ServeSafe® temps longer
- NSF Listed



| Prod No | Description | Color | Pack |
|--|-------------------|--------------------|------|
| CaterCooler | | | |
| PC660 | CaterCooler | 14 | 1 ea |
| Cateraide Insulated End Loaders | | | |
| PC300N Δ | End Loader | 01, 03, 08, 59, 95 | 1 ea |
| PC600N Δ | Double End Loader | 01, 03, 08, 59* | 1 ea |

NSF Listed products are designated with a Δ and may be prefixed with an N

NOTE: LD500NSS can be shipped UPS/FedEx Ground at oversize cost

* Color available by special order only



Insulated Sheet Pan & Tray Carrier

- Individual tracks accommodate seven 18" x 26" trays
- Use with sheet pans shown on page 191
- NSF Listed



Insulated Top Loaders

- Accommodates all third, half and full size food pans
- PC188N top loader holds up to 8" deep food pan
- NSF Listed



Insulated Soup & Chili Servers - *Ideal for Food Festivals & Outdoor Venues*

- Same high-quality features and construction as our standard Cateraides
- Perfect for transporting and serving soup and chili
- Stacks with 2.5 gallon & 5 gallon beverage servers
- There are no faucets
- NSF Listed



| Prod No | Description | Color | Pack |
|---|-----------------------------------|---------|------|
| Cateraide Insulated Sheet Pan & Tray Carrier | | | |
| TC1826N Δ | Sheet Pan, Tray Carrier | 01, 03 | 1 ea |
| Cateraide Insulated Top Loaders | | | |
| PC140N Δ | 12 qt, 4" Single Pan Carrier | 01, 03* | 1 ea |
| PC160N Δ | 18 qt, 6" Single Pan Carrier | 01, 03 | 1 ea |
| PC180N Δ | 24 qt, 8" Combination Pan Carrier | 01, 03* | 1 ea |
| Cateraide Insulated Soup & Chili Servers | | | |
| LD350N Δ | 3.5 gal Soup & Chili Server | 01, 03 | 1 ea |
| LD500NSS Δ | 5 gal Soup & Chili Server | 01, 03 | 1 ea |

NSF Listed products are designated with a Δ and may be prefixed with an N
 * Color available by special order only



CATERAIDE™

Dollies - *Industry Leader*

Polyethylene Dollies

- 4" heavy-duty, quiet and non-marking swivel casters
- Rolls easily on carpeted floors
- DL300R holds up to two Cateraide End Loaders (PC300N) or any Cateraide Top Loader
- XDL3000 holds up to two Slide 'N Seal End Loaders (XT3000R) when stacked
- NSF Listed



DL300R

XDL3000H



Aluminum Dollies

- Made of sturdy, light-weight, no-rust aluminum
- Plastic coated corner bumpers protect against marring furnishings
- 4" heavy-duty, quiet and non-marking swivel casters
- Rolls easily on carpeted floors
- DL300 holds up to two stacked Cateraide End Loaders
- DL1826 holds up to three stacked Sheet Pan Carriers



DL1826

DL300



Use Carlisle Utility Carts on page 318 to transport Cateraides



PC300 with DL300R

| | |
|-----------|--------------|
| Black(03) | Aluminum(23) |
|-----------|--------------|

| Prod No | Description | Color | Pack |
|---------------------------------------|-----------------------------------|-------|------|
| Polyethylene Cateraide Dollies | | | |
| XDL3000H Δ | 22.38" x 28.75" Dolly with Handle | 03 | 1 ea |
| DL300R Δ | 20.38" x 26.75" Dolly | 03 | 1 ea |
| Aluminum Cateraide Dollies | | | |
| DL300 | 23.25" x 16.88" Dolly | 23 | 1 ea |
| DL1826 | 28.63" x 22" Dolly | 23 | 1 ea |

NSF Listed products are designated with a Δ and may be prefixed with an N
NOTE: Cateraide Universal Dolly is not UPS/FedEx Ground shippable



Insulated Ice Caddies

- Cateraide construction made of rugged, stain- and scratch-resistant polyethylene
- Filled with extra thick foam insulation for maximum temperature retention
- Rounded inside corners and removable lid for thorough cleaning
- Stainless steel, reinforced hinges prevent rusting
- Easy rolling, heavy-duty 5" casters
- Find replacement parts at www.carlislefsp.com/replacement-parts

200 Lb Caddy

- Lid opens and lays flat against side of unit to conserve space
- Front faucet for fast drainage and easy cleanup; inside has sloped base for complete drainage
- Includes convenient shelf; allows water to drain away from ice
- Dual handles for easy maneuverability
- 10" non-marking back wheels roll easily over rough surfaces



IC2220

125 Lb Caddies

- Nylex™ latches eliminate sharp edges; won't rust, bend or dent
- Ice Caddies IC2250 and IC2254 are only 28.75" high for smaller, more compact space requirements
- IC2250T Ice Caddy is 36.5" high to reduce back bending motion
- IC2250T Ice Caddy has 8" non-marking back wheels for easy maneuvering over rough surfaces
- NSF Listed



IC2250T

IC2254



| Prod No | Description | Color | Pack |
|------------------------------|--|-------------------|------|
| Cateraide Ice Caddies | | | |
| IC2220 | 200 lb Ice Caddy with Ice Caddy Shelf; 10" Wheels, 2 Swivel Casters (one with brake) | 01*, 03, 08*, 59* | 1 ea |
| IC2250 Δ | 125 lb Ice Caddy; 2 Rigid Casters, 2 Swivel Casters (one with brake) | 01*, 03 | 1 ea |
| IC2254 Δ | 125 lb Ice Caddy; 4 Swivel Casters (one with brake) | 01*, 03 | 1 ea |
| IC2250T Δ | 125 lb Tall Ice Caddy; 8" Wheels, 2 Swivel Casters (one with brake) | 03 | 1 ea |

NSF Listed products are designated with a Δ and may be prefixed with an N

Note: Ice Caddies cannot ship UPS/FedEx Ground

* Color available by special order only