

Distributed by :  
MBH International Sales, Inc.

For More Information  
Email : [Sales@mbhny.com](mailto:Sales@mbhny.com)



# Alphabetical Index

DESCRIPTION	PAGE	DESCRIPTION	PAGE
<b>A</b>		<b>M</b>	
ABRASIVE DISCS	H6	MARKING PENS & PENCILS	H8
ABRASIVE DISC CUTTER	H6	MASKING TAPE	H12
ABRASIVE PADS	H6	MOUNTED STONES	H7
ACID BRUSHES	H8		
<b>B</b>		<b>P</b>	
BLADES, SAW	H9	PADS, SOUND	H12
BLIND RIVETS	H4	PENS & PENCILS	H8
BRAKE FILM	H12	PLATE, RETAINING	H4
BRITE GARD, CLEANER	H2	POLISH	H2
BRITE GARD, ALL PURPOSE WIPERS	H2		
BRUSHES, ACID	H8	<b>R</b>	
BRUSHES, WIRE	H8	RECIPROCATING SAW BLADES	H9
		REPLACEMENT BLADES, DISC CUTTER	H6
		RIVETS, BLIND	H4
<b>C</b>		<b>S</b>	
CAP NUTS	H4	SANDING DISCS	H6
CARTRIDGE ROLLS	H7	SAW BLADES	H9
CAULKING GUN	H3	SEALER, SILICONE	H3
COLLETS	H5	SHEILA SHINE	H2
COMBINATION LOCKNUTS	H4	SILICONE SEALANT	H3
COMPOUND, HEAT TRANSFER	H3	SOUND DEADENER LATEX	H3
		SOUND DEADENER, MULTIFLEC	H3
<b>D</b>		SOUND PADS	H12
DEBURRING TOOL	H8	SPRAY ENAMEL	H13
DRILL BITS	H9	SPRAYS & FOGGERS	H13
DRILL BIT DECIMAL EQUIVALENTS CHART	H10	S/S CLEANER & PROTECTANT	H2
DRIVE SCREWS	H8	STONES, MOUNTED	H7
DUCT TAPE	H12	STUD GUN EXTENSION	H5
		STUD WELDER	H5
<b>E</b>		STUDS, WELD	H5
ELECTRICAL TAPE	H12		
ELECTRODES, TUNGSTEN	H9	<b>T</b>	
ENAMEL SPRAY PAINT	H13	TAP DRILL SIZES	H11
		TAPE, INDUSTRIAL	H12
<b>F</b>		TAPE, TACKY	H12
FILAMENT TAPE	H12	TAPS	H9
FILM, TUFF BRAKE	H12	THERMAL MASTIC	H3
FOGGERS	H13	TUFF BRAKE FILM	H12
FOIL TAPE	H12	TUNGSTEN ELECTRODES	H9
<b>H</b>		<b>W</b>	
HACKSAW BLADES	H9	WELD STUDS	H4
HEAT TRANSFER COMPOUND	H3	WELDING SYSTEMS	H5
		WIPERS	H2
		WIRE BRUSHES	H8

All photographs and illustrations are considered to be a representation of the actual item. In some cases there may be slight variations.

This catalog, copy, part numbers and unique method of illustrating products is copyrighted by Component Hardware Group, Inc. All rights reserved.

No portion of this catalog may be reproduced in any form or by any means in whole or in part, without the written consent of Component Hardware.

Component Hardware reserves the right to make any and all changes and to discontinue any of its products without notice.

Not responsible for typographical errors.

Component Hardware Group is a proud member of the following organizations

---



---

Products shown in this catalog may be listed and/or certified by one or more of the following regulatory agencies and will be designated by the following marks



# Polish & Cleaning Products



REF. A

## BRITE GARD™ STAINLESS STEEL CLEANER/PROTECTANT

- CLEANS, SHINES & PROTECTS • SPECIFICALLY FORMULATED FOR USE ON INDOOR/OUTDOOR STAINLESS STEEL APPLIANCES
- SAFE – USES FOOD GRADE INGREDIENTS • VIRTUALLY ELIMINATES FINGERPRINTS & SMUDGES • ENVIRONMENTALLY FRIENDLY – USES MANUAL PUMP SPRAYER, NOT AEROSOLS

MODEL NO.	DESCRIPTION	UNIT PACK
Q85-2004	4 oz BOTTLE	EACH
Q85-2016	16 oz BOTTLE	EACH
Q85-201606	16 oz BOTTLE	6/BOX
Q85-201612	16 oz BOTTLE	12/CASE
Q85-2128	1 gal REFILL	EACH
Q85-212804	1 gal REFILL	4/BOX

REF. C

## SHEILA SHINE® STAINLESS STEEL POLISH AND SURFACE PRESERVATIVE

- ECONOMICAL • CLEANS, POLISHES, PROTECTS
- PRESERVES SURFACES AGAINST DETERIORATION
  - RESISTS FINGERPRINTS AND STREAKING
  - IDEAL FOR FORMICA SURFACES
- G.S.A. APPROVED • U.S.D.A. AUTHORIZED

MODEL NO. Q85-1010  
10 oz (283g) AEROSOL CAN

MODEL NO. Q85-1012  
ONE gal (3.7 lit) CONTAINER

REF. B

## BRITE GARD® ALL PURPOSE WIPERS

- MADE WITH 25% RECYCLED CELLULOSE FIBERS • PERFECT FOR HEAVY DUTY WET/DRY WIPING APPLICATIONS
- IDEAL FOR MOST METAL WORKING AND MESSY FLUID APPLICATIONS • INTERFOLDS ARE PERFECT FOR JOBS THAT REQUIRE LARGE WIPERS
- TWO TIMES STRONGER THAN THE COMPETITION • COST EFFECTIVE ALTERNATIVE TO CLOTH TOWELS & RAGS • LOW LINT



HEAVY-WEIGHT QUARTERFOLD (60 count) MODEL NO. Q85-7000	LIGHT-WEIGHT QUARTERFOLD (90 count) MODEL NO. Q85-7500	SUPER STRENGTH INTERFOLD (126 count) MODEL NO. Q85-8000	LIGHT-WEIGHT INTERFOLD (135 COUNT) MODEL NO. Q85-8500
Sheet Size: 12-1/2" x 13" (138mm x330mm)	Sheet Size: 12-1/2" x 13" (138mm x 330mm)	Sheet Size: 9-1/2" x 16-1/2" (241mm x419mm)	Sheet Size: 9-1/2" x 16-1/2" (241mm x419mm)
Sheet Per Case: 720	Sheet Per Case: 1080	Sheet Per Case: 1008	Sheet Per Case: 1080
Case Quantity: 12	Case Quantity: 12	Case Quantity: 8	Case Quantity: 8
Case Weight: 15lbs (7kg)	Case Weight: 15lbs (7kg)	Case Weight: 18lbs (8kg)	Case Weight: 20lbs (9kg)



REF. A

## SILICONE SEALER

SILICONE SEALANT 10.3 oz (305ml) CARTRIDGE



- FITS ALL STANDARD CAULKING GUNS
- F.D.A APPROVED • U.L. RECOGNIZED
- MEETS F.D.A. EXTRACTION REQUIREMENT NO. 21 CFR177.2600
- SUPPLIED WITH A REMOVABLE TIP

MODEL NO.	COLOR	MAXIMUM SERVICE TEMP.
M90-1010	CLEAR	400°F (232°C)
M90-1012	ALUMINUM	400°F (232°C)
M90-1014	WHITE	400°F (232°C)
M90-1016	BLACK	400°F (232°C)
M90-1018	HI TEMP RED	500°F (315°C)

ALSO AVAILABLE IN 3 oz (83g) TUBES

CLEAR: M90-0310 ALUMINUM: M90-0312 WHITE: M90-0314  
PACKAGED 20 PER PACK

5 gal CLEAR (19 lit): MODEL NO. M90-5012

REF. C

## MULTIFLEC SOUND DEADENER



- SPRAYABLE • FAST DRYING
- INSTITUTIONAL GRAY FLECK • IDEAL SOUND DAMPENING
- FOR SINK BOWLS AND TABLETOPS

EASILY APPLIED WITH CONVENTIONAL AIR, AIRLESS OR HVLP SPRAY GUNS. GOOD COVERAGE, NO NEED TO RE-PAINT. IDEAL FOR HIDING UNSIGHTLY SEAMS AND STUDS. COVERAGE: 150-175 SQ.FT. (14-16 SQ.METERS) PER GALLON. COVERAGE VARIES WITH FILM THICKNESS.

**MODEL NO. Q75-2500**  
ONE GALLON (3.7 liter) CONTAINER

REF. B

## THERMAL MASTIC HEAT TRANSFER COMPOUND

- REPLACES SOLDER FOR HEAT TRANSMISSION
- STABLE AT ALL WORKING TEMPERATURES

Thermal mastic is used wherever rapid heat transmission is desired between coils and liners, between liquid and suction line heat exchangers.

**MODEL NO. Q77-1000 THERMAL MASTIC COATING**  
10.3 Oz. (305ml) TUBE CARTRIDGE

**MODEL NO. Q77-1240 THERMAL MASTIC COATING**  
1 GALLON (3.7 LITER) CONTAINER

**MODEL NO. Q77-1250 THERMAL MASTIC COATING**  
5 GALLON (19 LITER) CONTAINER

**MODEL NO. Q77-1260 THERMAL MASTIC COATING**  
53 GALLON (200 LITER) CONTAINER

REF. D

## LATEX SOUND DEADENER



- FOR SHEET METAL RESONANCE, DAMPING AND NOISE CONTROL, SMOOTH FLOWING LATEX SOUND DEADENER IS PREPARED SPECIFICALLY FOR BRUSH AND SPRAY APPLICATION. MATERIAL IS NON-AGING, DOES NOT BECOME BRITTLE AND MAY BE PAINTED WHEN DRY.

COLOR: LIGHT GRAY

**MODEL NO. Q75-1366 ONE GALLON (3.7 liter) CONTAINER**

**MODEL NO. Q75-1366-DR 53 GALLON (200 liter) DRUM**


NOTE: ONE GALLON (3.7 LITER) COVERS APPROXIMATELY  
30-50 SQ. FT. (2.8-4.6 SQ. METERS)

REF. E

## 10.3 Oz. (305ml.) CAULKING GUN

**MODEL NO. Q99-1000**  
THERMAL MASTIC CAULKER

# Weld Studs, Fasteners & Rivets



REF. A  
**COPPER FLASHED WELD STUDS  
CD TYPE**

MODEL NO.	SIZE	LENGTH
Q36-1010	10-24	3/8" (9mm)
Q36-1012	10-24	1/2" (13mm)
Q36-1013	10-24	5/8" (16mm)
Q36-1014	10-24	3/4" (19mm)
Q36-1018	10-24	1-1/2" (38mm)
Q36-1310	1/4-20	3/8" (9mm)
Q36-1312	1/4-20	1/2" (13mm)
Q36-1314	1/4-20	3/4" (19mm)
Q36-1316	1/4-20	1" (25mm)


NOTE: OTHER SIZES (IN QUANTITY)

**THREADLESS WELD STUDS  
18-8 STAINLESS STEEL**

REF. B  
MODEL NO. Q37-1412  
1/4" DIA. X 1/2" LG.  
(6mm DIA. X 13mm LG.)

REF. C  
MODEL NO. Q37-3162  
3/16" DIA. X 1/2" LG.  
(4.7mm DIA. X 13mm LG.)

REF. D  
**STAINLESS KEYHOLE  
WELD STUDS**  
MODEL NO. Q37-0250



REF. E  
**STAINLESS STEEL WELD STUDS  
CD TYPE**  
18-8 STAINLESS STEEL

MODEL NO.	SIZE	LENGTH
Q36-1110	10-24	3/8" (9mm)
Q36-1112	10-24	1/2" (13mm)
Q36-1113	10-24	5/8" (16mm)
Q36-1114	10-24	3/4" (19mm)
Q36-1116	10-24	1" (25mm)
Q36-1410	1/4-20	3/8" (9mm)
Q36-1412	1/4-20	1/2" (13mm)
Q36-1414	1/4-20	3/4" (19mm)
Q36-1416	1/4-20	1" (25mm)

NOTE: OTHER SIZES (IN QUANTITY)

REF. F  
**STAINLESS STEEL CAP NUTS**

MODEL NO.	SIZE	INTERNAL SCREW HEIGHT CLEARANCE
Q31-1024	10-24	5/16" (8mm)
Q31-1420	1/4-20	3/8" (9.5mm)

**COMBINATION LOCKNUT  
HEX NUT/LOCKWASHER**

SIZE	REF.	MODEL NO.	SIZE	MATERIAL
	G**	Q34-1024	10-24	ZINC PLATED
	H**	Q34-2024	10-24	BRIGHT NICKEL
	I	Q32-1024	10-24	ZINC PLATED
	J	Q33-1024*	10-24	ZINC PLATED
	K**	Q33-2024*	10-24	BRIGHT NICKEL
	I	Q32-1420	1/4-20	ZINC PLATED


\*WITH RUBBER SEALING UNDERSIDE


\*\*INTERNAL SCREW HEIGHT  
CLEARANCE OF 1/2" (13mm)

REF. L  
**STAINLESS STEEL BLIND RIVETS**  
1/8" (3mm) DIA. DOMED HEAD

MODEL NO.	GRIP RANGE	RIVET LENGTH
Q45-4200	.062 - .125 (1.5mm - 3mm)	.275 (7mm)
Q45-4300	.126 - .187 (3mm - 5mm)	.337 (8.5mm)
Q45-4400	.188 - .250 (5mm - 6mm)	.400 (10mm)
Q45-4600	.315 - .375 (8mm - 9.5mm)	.525 (13mm)
Q45-4800	.376 - .500 (9.5mm - 13mm)	.600 (15mm)

**300 SERIES  
STAINLESS STEEL RIVETS AND MANDRELS  
WITH BRIGHT PASSIVATED FINISH**





## STUD WELDING COLLETS

• CASE HARDENED

REF	MODEL NO.	USED WITH:
A	*QTC-1024	10-24 WELD STUD
A	*QTC-1420	1/4-20 WELD STUD
A	*QTC-0716	7/16 WELD STUD
B	QIC-1024	10-24 WELD STUD
B	QIC-1420	1/4-20 WELD STUD
C	QOR-1024	10-24 WELD STUD
C	QOR-1420	1/4-20 WELD STUD
C	QOR-0716	7/16 KEYHOLE STUD

\*MODEL NO'S QTC-1024, QTC-1420, QTC-0716 AND QTC-0012 (REF. A) FIT PORTABLE STUD WELDERS NO. Q36-0001 AND Q36-0028.



## PORTABLE STUD WELDERS

MODEL NO. Q36-0001

- PORTABLE, LIGHTWEIGHT, RUGGED AND EASY TO USE, PERFECT FOR HIGH FREQUENCY PRODUCTION OR FIELD USE
- CONVENIENT 110 VOLT FOR UNIVERSAL APPLICATION AND VERSATILITY
- FAST POWER RECOVERY, IMMEDIATE RECHARGE, CAPACITY TO 5/16"(8mm) DIAMETER STUDS
  - WELD RATE 15 STUDS PER MINUTE
- TROUBLE FREE SOLID STATE DESIGN, SINGLE VOLTAGE CONTROL KNOB, SIMPLE SETTING, DIGITAL POWER DISPLAY
- SAFE, AUTOMATIC POWER DISCHARGE ON ANY POWER FAILURE STUD CONTACT REQUIRED TO FIRE CIRCUIT

### INCLUDES

- SINGLE FIRE TRIGGER
- 16 FT.(4.8m) CORDSET AND EASY TO USE GROUND CLAMP



## 18" STUD GUN EXTENSION

MODEL NO. Q36-X100

- CONVENIENT FOR REMOTE AREAS WHERE A STANDARD GUN CANNOT REACH



MODEL NO. Q36-0028

- FAST POWER RECOVERY, IMMEDIATE RECHARGE, CAPACITY TO 1/4"(6mm) DIAMETER STUDS
  - WELD RATE 12 STUDS PER MINUTE
- LIGHTWEIGHT AND VERSATILE- WEIGHS ONLY 28 LBS - IDEAL FOR WELDING AT INSTALLATION SITE OR WHERE ONE STUD WELDER MAY BE REQUIRED IN SEVERAL WORK AREAS
- SAFE AND TROUBLE FREE...INCORPORATES THE SAME SOLID STATE TECHNOLOGY AND SAFETY FEATURES AS OUR LARGER UNIT

# Abrasive Discs & Pads


REF. A

## SAIT ZIRCONIA FIBRE SANDING DISCS BLUE SAIT ZIRCONIA ALUMINA FIBRE SANDING DISC

- FOR HEAVY STOCK REMOVAL
- FOR STAINLESS STEEL OR FLAT GRINDING OF MILD STEEL
- COOL CUTTING AND LONG LASTING

MODEL NO.	GRIT	DIA.	ARBOR
AN-5050	50	5" (125mm)	7/8" (22mm)
AN-5060	60	5" (125mm)	7/8" (22mm)
AN-5080	80	5" (125mm)	7/8" (22mm)
AN-7050	50	7" (178mm)	7/8" (22mm)
AN-7060	60	7" (178mm)	7/8" (22mm)
AN-7080	80	7" (178mm)	7/8" (22mm)

PACKAGED 100 DISCS PER PACK



REF. A

## 4" SAIT ALUMINUM OXIDE ABRASIVE DISCS RED SAIT RESIN FIBRE ALUMINUM OXIDE SANDING DISCS (3A)

- SPECIFICALLY DESIGNED FOR STAINLESS STEEL APPLICATIONS
- RUNS COOLER WITH HIGHER STOCK REMOVAL

MODEL NO.	GRIT	DIA.	ARBOR
AK-4036	36	4" (102mm)	7/8" (22mm)
AK-4050	50	4" (102mm)	7/8" (22mm)
AK-4060	60	4" (102mm)	7/8" (22mm)
AK-4080	80	4" (102mm)	7/8" (22mm)
AK-4100	100	4" (102mm)	7/8" (22mm)
AK-4120	120	4" (102mm)	7/8" (22mm)

PACKAGED 100 DISCS PER PACK

REF. A

## 5" SAIT ALUMINUM OXIDE ABRASIVE DISCS RED SAIT RESIN FIBRE ALUMINUM OXIDE SANDING DISCS (3A)

- SPECIFICALLY DESIGNED FOR STAINLESS STEEL APPLICATIONS
- RUNS COOLER WITH HIGHER STOCK REMOVAL

MODEL NO.	GRIT	DIA.	ARBOR
AK-5036	36	5" (125mm)	7/8" (22mm)
AK-5050	50	5" (125mm)	7/8" (22mm)
AK-5060	60	5" (125mm)	7/8" (22mm)
AK-5080	80	5" (125mm)	7/8" (22mm)
AK-5100	100	5" (125mm)	7/8" (22mm)
AK-5120	120	5" (125mm)	7/8" (22mm)

5" (125mm) SPIRALCOOL BACKING PAD AVAILABLE. SPECIFY **AZ-95016**

PACKAGED 100 DISCS PER PACK

REF. A

## 7" SAIT ALUMINUM OXIDE ABRASIVE DISCS RED SAIT RESIN FIBRE ALUMINUM OXIDE SANDING DISCS (3A)

- SPECIFICALLY DESIGNED FOR STAINLESS STEEL APPLICATIONS
- RUNS COOLER WITH HIGHER STOCK REMOVAL

MODEL NO.	GRIT	DIA.	ARBOR
AK-7036	36	7" (178mm)	7/8" (22mm)
AK-7050	50	7" (178mm)	7/8" (22mm)
AK-7060	60	7" (178mm)	7/8" (22mm)
AK-7080	80	7" (178mm)	7/8" (22mm)
AK-7100	100	7" (178mm)	7/8" (22mm)
AK-7120	120	7" (178mm)	7/8" (22mm)

7" (178mm) SPIRALCOOL BACKING PAD AVAILABLE. SPECIFY **AZ-95018**

PACKAGED 100 DISCS PER PACK



## ABRASIVE DISC CUTTER

MODEL NO. ACD-8100

PROLONGS THE LIFE OF 7" (178mm) FIBRE DISCS BY CREATING A NEW SURFACE. ADJUSTABLE FOR DIAMETERS FROM 3" (76mm) TO 9" (229mm).

MODEL NO. ACD-8102

REPLACEMENT UPPER CUTTER BLADE

MODEL NO. ACD-8104

REPLACEMENT LOWER CUTTER BLADE

REF. B


## SAIT ABRASIVE HAND PADS

- FOR CLEANING, FINISHING, POLISHING AND BLENDING
- MAY BE USED WET OR DRY
- SIZE: 6" x 9" (150mm x 225mm)

MODEL NO.	GRADE	COLOR	ABRASIVE
AK-7446-AP	STAINLESS STEEL	BLACK	ALUMINUM OXIDE
AK-7448-AP	ULTRA FINE	GRAY	SILICONE CARBIDE
AK-7447-AP	GEN'L PURPOSE	MAROON	SILICONE CARBIDE
AK-7440-AP	HEAVY DUTY	BROWN	ALUMINUM OXIDE
AK-7496-AP	STRIPPER	GREEN	ALUMINUM OXIDE
AK-7486-AP	LIGHT DUTY	WHITE	TALC

PACKAGED 20 PADS PER PACKAGE





REF. A

## PREMIUM RESIN BONDED CARTRIDGE ROLLS

- EXTREMELY HIGH QUALITY AND LONG LASTING
- MANUFACTURED OF ALUMINUM OXIDE RESIN BOND CLOTH
- SPECIFICALLY DESIGNED FOR STAINLESS STEEL APPLICATIONS
- PROVIDES FOR FAST DEBURRING AND FINISHING OF ALL STAINLESS STEEL
- SPECIALLY FORMED WITH A HIGH PERFORMANCE PHENOLIC RESIN WITHSTANDING EXTREME HEAT AND MOISTURE

MODEL NO.	DIA.	LENGTH	SHANK DIA.	GRIT
AC-3011	5/8" (16mm)	2" (51mm)	1/4"	50
AC-3019	5/8" (16mm)	2" (51mm)	1/4"	60
AC-3014	1" (25mm)	2" (51mm)	1/4"	50
AC-3018	3/8" (9mm)	1-1/2" (38mm)	1/8"	60
AC-3015	1-1/2" (38mm)	2" (51mm)	1/4"	50
AC-3022	1-1/2" (38mm)	2" (51mm)	1/4"	60
AC-2226	1/4" (6mm)	CARTRIDGE ROLL MANDREL		

- PACKED 100 PER CARTON
- OTHER SIZES AVAILABLE UPON REQUEST

REF. A

## PREMIUM RESIN BONDED MOUNTED STONES

- MANUFACTURED OF ALUMINUM OXIDE GRAIN FOR FAST DEBURRING AND FINISHING OF STAINLESS STEEL
- PERFORMS WITHOUT VIBRATION OR RUN-OUT
- EASY TO IDENTIFY AND MAINTAIN INVENTORY
- SUPPLIED WITH COARSE 36 GRIT

MODEL NO.	DIA.	LENGTH	SHANK DIA.	MAX RPM O= 1/2"	TYPE
AQ-7401	3/4" (19mm)	2" (51mm)	1/4"	19,800	A1
AQ-7402	1" (25mm)	2" (51mm)	1/4"	16,100	A3
AQ-7405	7/8" (22mm)	2-1/2" (64mm)	1/4"	19,860	A11
AQ-7411	3/4" (19mm)	2-3/4" (70mm)	1/4"	24,000	W208
AQ-7413	1" (25mm)	2" (51mm)	1/4"	18,750	W222
AQ-7409	1/2" (12mm)	2" (51mm)	1/4"	15,900	W189

PACKED 10 PER CARTON - OTHER SIZES AVAILABLE UPON REQUEST

<p>SILHOUETTES DO NOT REPRESENT ACTUAL DIMENSIONS</p> <p>A1    A3    A11</p>	<p>"W" SHAPES ARE FOR MEDIUM TO HEAVY STOCK REMOVAL</p>	<p>MANDREL OVERHANG "O" MUST ALWAYS BE THE LOWEST POSSIBLE. MAXIMUM SPEEDS GIVEN REFER TO OVERHANG "O" EQUAL TO 1/2".</p> <p>OVERHANG = 1/2"</p>
--	---	--

# Brushes, Tools & Marking Pens



REF. A

## MARKING PENS AND PENCILS

SPECIFICALLY DESIGNED FOR LAYOUT WORK ON STAINLESS STEEL

### RED MARKING PENCILS

BRILLIANT COLOR FOR CODING AND LAYOUT  
HIGHLY VISIBLE, ERASABLE, WON'T SMEAR OR FADE  
MODEL NO. Q90-2126

### MARKING PENS

FINE POINT, 0.4MM LINE WIDTH ON NON-POROUS SURFACES. PERMANENT ON MOST SURFACES.  
BLUE MODEL NO. Q91-3503 (DOZEN)  
RED MODEL NO. Q91-3505 (DOZEN)

REF. B

## STAINLESS STEEL WIRE BRUSHES

IDEAL FOR CLEANING WELDING TIPS AND CASTINGS  
REMOVES WELD BURNS, SCALE, PAINT AND RUST FROM ALL METAL SURFACES. THREE SIZES COMPLETE WITH CUSTOM HARDWOOD SHAPED HANDLES

MODEL NO.	HANDLE LENGTH	WIRE CONFIG.
Q59-4440	10-1/4" (260mm)	ROWS: 4 x 16
Q59-1500	7-5/8" (190mm)	20 TUFTS*

\*LACED THRU HANDLE

REF. C

## ACID BRUSHES

NO. 1-3/8" (9mm) WIDE

MODEL NO. Q58-0001  
PACKED 144 PER BOX

REF. D

## DEBURRING TOOL

- A FAST, CONVENIENT, INEXPENSIVE DEBURRING TOOL
- IDEAL FOR STAINLESS STEEL, ELIMINATES COSTLY FILING
  - ADJUSTABLE FOR ALL GAUGES
- SAFELY AND QUICKLY DEBUR METAL EDGES FOR EASIER HANDLING
  - ROTATE BLADES TO PROLONG TOOL LIFE


ADJUSTABLE DEBURRING TOOL  
MODEL NO. DBR-1000

REF. E

REPLACEMENT ROLLERS (PAIR)  
MODEL NO. DBR-1000-RR

REF. F

REPLACEMENT ROLLER SCREW  
MODEL NO. DBR-1000-RS



REF. A

## TUNGSTEN ELECTRODES

2% THORIATED, GROUND

MODEL NO.	MODEL NO.	MODEL NO.
<b>MK-1600-E</b>	<b>MK-3320-E</b>	<b>MK-1800-E</b>
1/16" DIA. x 7" LG. (2mm x 180mm)	3/32" DIA. x 7" LG. (2mm x 180mm)	1/8" DIA. x 7" LG. (3mm x 180mm)

NOTE: EACH PACKAGE CONTAINS 10 ELECTRODES

REF. B

## HACKSAW BLADES

- 12" LG. x 1/2" WIDE (300mm x 13mm)
- EXCELLENT FOR STAINLESS STEEL

MODEL NO.	TEETH PER INCH (25mm)	THICKNESS
<b>FR-1218</b>	18	.025 (.6mm)
<b>FR-1224</b>	24	.025 (.6mm)

PACKAGED 100 BLADES PER PACK

REF. C

## TAPS

UNION BUTTERFIELD HIGH QUALITY TAPS  
AVAILABLE IN THE FIVE MOST FREQUENTLY USED SIZES

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>• MACHINE SCREW SIZES</li> <li>• FOR THROUGH OR BLIND HOLE APPLICATIONS</li> <li>• HIGH SPEED STEEL</li> <li>• FLASH CHROME FINISH</li> <li>• UNC</li> <li>• SPIRAL POINT</li> <li>• 4 FLUTE</li> </ul> | <ul style="list-style-type: none"> <li>• ECCENTRIC RELIEVED THREADS</li> <li>• FREER CUTTING FOR LONGER TOOL LIFE</li> <li>• STRAIGHT PIPE TAP</li> <li>• 2 FLUTE</li> </ul> |
|--|--|

STRAIGHT FLUTE HAND TAPS		MACHINE (GUN) TAPS (HI-SPEED)	
MODEL NO.	SIZE	MODEL NO.	SIZE
<b>1902-6-32</b>	6-32	<b>1904-6-32</b>	6-32
<b>1902-8-32</b>	8-32	<b>1904-8-32</b>	8-32
<b>1902-10-24</b>	10-24	<b>1904-10-24</b>	10-24
<b>1902-10-32</b>	10-32	<b>1904-10-32</b>	10-32
<b>1902-1/4-20</b>	1/4-20	<b>1904-1/4-20</b>	1/4-20

NOTE: Other sizes available on application

REF. D

## RECIPROCATING SAW BLADES

MODEL NO.	SIZE	TEETH PER INCH (25mm)
<b>FR-88162</b>	4" (102mm)	18
<b>FR-88163</b>	4" (102mm)	24
<b>FR-88178</b>	6" (152mm)	18
<b>FR-88179</b>	6" (152mm)	24

PACKAGED 5 BLADES PER PACK

REF. E

## DRILL BITS

HEAVY DUTY DRILLS HAVE A 118° SPLIT POINT AND A NORMAL HELIX FOR GOOD CHIP CLEARANCE. THE RUGGED CONSTRUCTION AFFORDS EFFICIENT DRILLING IN STAINLESS STEEL AND OTHER HARD MATERIALS, AND IN APPLICATIONS WHERE EXCESSIVE BREAKAGE OCCURS WITH GENERAL PURPOSE DRILL BITS. THESE HIGH QUALITY DRILL BITS ARE AVAILABLE IN JOBBER AND STUB LENGTHS.

AVAILABLE IN ALL SIZES

DIAMETERS: 1/64" (.39mm) THRU 1/2" (12.7mm)

#1 (5.8mm) THRU #60 (1mm) AND A THROUGH Z LETTER GAUGE

ADD SUFFIX:

'R' FOR JOBBER (REGULAR) LENGTH 'S' FOR STUB LENGTH


# Drill Bit Decimal Equivalents - For Fractional, Wire Gauge, Letter & Metric (mm) Size Drills

DRILL SIZE	DECIMAL INCHES	DRILL SIZE	DECIMAL INCHES	DRILL SIZE	DECIMAL INCHES	DRILL SIZE	DECIMAL INCHES	DRILL SIZE	DECIMAL INCHES	DRILL SIZE	DECIMAL INCHES	DRILL SIZE	DECIMAL INCHES
0.25	.0098	1.50	.0591	#32	.1160	#6	.2040	8.10	.3189	29/64"	.4531	18.50	.7283
0.30	.0118	#53	.0595	2.95	.1161	5.20	.2047	8.20	.3228	11.60	.4567	47/64"	.7344
#80	.0135	1.55	.0610	3.00	.1181	#5	.2055	P	.3230	11.70	.4606	18.75	.7382
0.35	.0138	1/16"	.0625	#31	.1200	5.30	.2087	8.30	.3268	11.80	.4646	19.00	.7480
#79	.0145	1.60	.0629	3.10	.1220	#4	.2090	-	-	11.90	.4685	3/4"	.7500
1/64"	.0156	#52	.0635	1/8"	.1250	5.40	.2126	21/64"	.3281	15/32"	.4687	19.25	.7579
0.40	.0157	1.65	.0650	3.20	.1260	#3	.2130	8.40	.3307	12.00	.4724	49/64"	.7656
#78	.0160	1.70	.0669	#30	.1285	5.50	.2165	Q	.3320	12.10	.4764	19.50	.7677
0.45	.0177	#51	.0670	3.30	.1299	7/32"	.2187	8.50	.3346	12.20	.4803	19.75	.7776
#77	.0180	1.75	.0689	3.40	.1339	5.60	.2205	8.60	.3386	12.30	.4843	25/32"	.7812
0.50	.0197	#50	.0700	#29	.1360	#2	.2210	R	.3390	31/64"	.4843	20.00	.7874
#76	.0200	1.80	.0709	3.50	.1378	5.70	.2244	8.70	.3425	12.40	.4882	51/64"	.7969
#75	.0210	1.85	.0730	#28-9/64"	.1405	#1	.2280	11/32"	.3437	12.50	.4921	20.25	.7972
0.55	.0217	#49	.0730	3.60	.1417	5.80	.2283	8.80	.3465	12.60	.4961	20.50	.8071
#74	.0225	1.90	.0748	#27	.1440	5.90	.2323	S	.3480	12.70	.5000	13/16"	.8125
0.60	.0236	#48	.0760	3.70	.1457	A	.2340	8.90	.3504	1/2"	.5000	20.75	.8169
#73	.0240	1.95	.0768	#26	.1470	15/64"	.2344	9.00	.3543	12.80	.5039	21.00	.8268
#72	.0250	5/64"	.0781	#25	.1495	6.00	.2362	T	.3580	12.90	.5079	53/64"	.8281
0.65	.0256	#47	.0785	3.80	.1496	B	.2380	9.10	.3583	13.00	.5118	21.25	.8366
#71	.0260	-	-	#24	.1520	6.10	.2401	23/64"	.3594	33/64"	.5156	27/32"	.8437
0.70	.0276	2.00	.0787	3.90	.1535	C	.2420	9.20	.3622	13.20	.5197	21.50	.8465
#70	.0280	2.05	.0807	#23	.1540	6.20	.2441	9.30	.3661	17/32"	.5313	21.75	.8563
#69	.0292	#46	.0810	5/32"	.1562	D	.2460	U	.3680	13.50	.5315	55/64"	.8594
0.75	.0295	#45	.0820	#22	.1570	6.30	.2480	9.40	.3701	13.80	.5433	22.00	.8661
#68	.0310	2.10	.0827	4.00	.1575	E-1/4"	.2500	9.50	.3740	-	-	7/8"	.8750
1/32"	.0313	2.15	.0846	#21	.1590	6.40	.2520	3/8"	.3750	35/64"	.5469	22.25	.8760
0.80	.0315	#44	.0860	#20	.1610	6.50	.2559	V	.3770	14.00	.5512	22.50	.8858
#67	.0320	2.20	.0866	4.10	.1614	F	.2570	9.60	.3780	14.25	.5610	57/64"	.8906
#66	.0330	2.25	.0886	4.20	.1654	6.60	.2598	9.70	.3819	9/16"	.5625	22.75	.8957
0.85	.0335	#43	.0890	#19	.1660	G	.2610	9.80	.3858	14.50	.5709	23.00	.9055
#65	.0350	2.30	.0905	4.30	.1693	6.70	.2638	W	.3860	37/64"	.5781	29/32"	.9062
0.90	.0354	2.35	.0925	#18	.1695	17/64"	.2656	9.90	.3898	14.75	.5807	23.25	.9154
#64	.0360	#42	.0935	11/64"	.1719	H	.2660	25/64"	.3906	15.00	.5906	59/64"	.9219
#63	.0370	3/32"	.0937	#17	.1730	6.80	.2677	10.00	.3937	19/32"	.5937	23.50	.9252
0.95	.0374	2.40	.0945	4.40	.1732	6.90	.2716	X	.3970	15.25	.6004	23.75	.9350
#62	.0380	#41	.0960	#16	.1770	I	.2720	10.10	.3976	39/64"	.6094	15/16"	.9375
#61	.0390	2.45	.0965	4.50	.1771	7.00	.2756	10.20	.4016	15.50	.6102	24.00	.9449
1.00	.0394	#40	.0980	#15	.1800	J	.2770	Y	.4040	15.75	.6201	61/64"	.9531
#60	.0400	2.50	.0984	4.60	.1811	7.10	.2795	10.30	.4055	5/8"	.6250	24.25	.9547
#59	.0410	#39	.0995	-	-	K-9/32"	.2811	13/32"	.4062	16.00	.6299	24.50	.9646
1.05	.0413	2.55	.1004	#14	.1820	7.20	.2835	10.40	.4094	16.25	.6398	31/32"	.9688
#58	.0420	#38	.1015	4.70	.1850	7.30	.2874	Z	.4130	41/64"	.6406	24.75	.9744
#57	.0430	2.60	.1024	#13	.1850	L	.2900	10.50	.4134	16.50	.6496	25.00	.9843
1.10	.0433	#37	.1040	3/16"	.1875	7.40	.2913	10.60	.4173	21/32"	.6562	63/64"	.9844
1.15	.0453	2.65	.1043	4.80	.1890	M	.2950	10.70	.4213	16.75	.6594	1"	1.0000
#56	.0465	2.70	.1063	#12	.1890	7.50	.2953	27/64"	.4219	17.00	.6693		
3/64"	.0469	#36	.1065	#11	.1910	19/64"	.2968	10.80	.4252	43/64"	.6719		
1.20	.0472	2.75	.1083	4.90	.1929	7.60	.2992	10.90	.4291	17.25	.6791		
1.25	.0492	7/64"	.1093	#10	.1935	N	.3020	11.00	.4330	11/16"	.6875		
1.30	.0512	#35	.1100	#9	.1960	7.70	.3031	11.10	.4370	17.50	.6890		
#55	.0520	2.80	.1102	5.00	.1968	7.80	.3071	7/16"	.4375	17.75	.6988		
1.35	.0531	#34	.1110	#8	.1990	7.90	.3110	11.20	.4409	45/64"	.7031		
1.40	.0550	2.85	.1122	5.10	.2008	5/16"	.3125	11.30	.4449	18.00	.7087		
#54	.0550	#33	.1130	#7	.2010	8.00	.3150	11.40	.4488	18.25	.7185		
1.45	.0571	2.90	.1142	13/64"	.2031	O	.3160	11.50	.4528	23/32"	.7187		

## DRILL SIZE BASED ON APPROXIMATELY 72% - 77% FULL THREAD

TAP SIZE	PITCH FORM	TAP DRILL SIZE	ALT. TAP DRILL	TAP SIZE	PITCH FORM	TAP DRILL SIZE	ALT. TAP DRILL
<b>UNIFIED TAPS</b>				<b>UNIFIED TAPS (CONT.)</b>			
0	80 (U)NF	3/64"	1.25	1"	8 (U)NC	7/8"	22.25
1	64 (U)NC	53	1.55	1"	12 (U)NF	59/64"	23.25
	72 (U)NF	53	1.55		14 (U)NS	15/16"	23.50
2	56 (U)NC	50	1.85	1-1/8"	7 (U)NC	63/64"	25.00
	64 (U)NF	50	1.90		12 (U)NF	1-3/64"	26.50
3	48 (U)NC	47	2.10	1-1/4"	7 (U)NC	1-7/64"	28.00
	56 (U)NF	45	2.15		12 (U)NF	1-11/64"	29.50
4	40 (U)NC	43	2.35	1-3/8"	6 (U)NC	1-7/32"	30.75
	48 (U)NF	42	2.40		12 (U)NF	1-19/64"	32.75
5	40 (U)NC	38	2.65	1-1/2"	6 (U)NC	1-11/32"	34.00
	44 (U)NF	37	2.70		12 (U)NF	1-27/64"	36.00
6	32 (U)NC	36	2.85	1-3/4"	5 (U)NC	1-9/16"	39.50
	40 (U)NF	33	2.95	2"	4-1/2 (U)NC	1-25/32"	45.00
8	32 (U)NC	29	3.50	<b>TAPER PIPE TAPS NPT</b>			
	36 (U)NF	29	3.50	1/16"	27 NPT	D	6.30
10	24 (U)NC	25	3.90	1/8"	27 NPT	R	8.70
	32 (U)NF	21	4.10	1/4"	18 NPT	7/16"	11.10
12	24 (U)NC	16	4.50	3/8"	18 NPT	37/64"	14.50
	28 (U)NF	14	4.70	1/2"	14 NPT	23/32"	18.00
1/4"	20 (U)NC	7	5.10	3/4"	14 NPT	59/64"	23.25
	28 (U)NF	3	5.50	1"	11-1/2 NPT	1-5/32"	29.00
5/16"	18 (U)NC	F	6.60	1-1/4"	11-1/2 NPT	1-1/2"	38.00
	24 (U)NF	I	6.90	1-1/2"	11-1/2 NPT	1-47/64"	44.00
3/8"	16 (U)NC	5/16"	8.00	2"	11-1/2 NPT	2-7/32"	56.00
	24 (U)NF	Q	8.50	2-1/2"	8 NPT	2-5/8"	67.00
7/16"	14 (U)NC	U	9.40	3"	8 NPT	3-1/4"	82.50
	20 (U)NF	25/64"	9.90	<b>STRAIGHT PIPE TAPS NPS</b>			
1/2"	13 (U)NC	27/64"	10.80	1/8"	27 NPS	S	8.80
	20 (U)NF	29/64"	11.50	1/4"	18 NPS	29/64"	11.50
9/16"	12 (U)NC	31/64"	12.20	3/8"	18 NPS	19/32"	15.00
	18 (U)NF	33/64"	12.90	1/2"	14 NPS	47/64"	18.50
5/8"	11 (U)NC	17/32"	13.50	3/4"	14 NPS	15/16"	23.75
	18 (U)NF	37/64"	14.50	1"	11-1/2 NPS	1-3/16"	30.25
3/4"	10 (U)NC	21/32"	16.50	1-1/4"	11-1/2 NPS	1-33/64"	38.50
	16 (U)NF	11/16"	17.50	1-1/2"	11-1/2 NPS	1-3/4"	44.50
7/8"	9 (U)NC	49/64"	19.50	2"	11-1/2 NPS	2-7/32"	56.00
	14 (U)NF	13/16"	20.40				

# Tape, Brake Film & Pads / Paint, Sprays & Foggers



## PRESSURE SENSITIVE INDUSTRIAL TAPE

MODEL NO.	DESCRIPTION	SIZE	CASE QTY
Q84-1075	MASKING TAPE	3/4" x 60 yds (19mm x 54m)	48 CASE
Q84-1100	MASKING TAPE	1" x 60 yds (25mm X 54m)	36 CASE
Q84-1150	MASKING TAPE	1-1/2" x 60 yds (38mm X 54m)	24 CASE
Q84-1200	MASKING TAPE	2" x 60 yds (51mm x 54m)	24 CASE
Q84-1300	MASKING TAPE	3" x 60 yds (75mm x 54m)	24 CASE
Q84-2075	ELECTRICAL TAPE (UL)	3/4" x 66 ft (19mm x 20m)	100 CASE
Q84-3200	DUCT TAPE	2" x 60 yds (51mm x 54m)	24 CASE
Q84-4250	FOIL TAPE HI-STRENGTH ALUMINUM	2-1/2" x 50 yds (60mm x 45m) 4.2 ml	16 CASE
Q84-5075	FILAMENT TAPE GLASS REINFORCED	3/4" x 60 yds (19mm x 54m)	48 CASE



## TUFF BRAKE FILM

- DIE MARKS AND SANDING ARE ELIMINATED
- DIES ARE PROTECTED • PRODUCTION COSTS DECREASE

USED BETWEEN PRESS BRAKE DIE AND FORMED PIECE TO ELIMINATE BRAKE MARKS AND POLISHING. PROTECTS EXPENSIVE DIES AND DECREASES PRODUCTION COSTS. CUT OFF A PIECE OF FILM THE SAME LENGTH AS YOUR BOTTOM DIE. FASTEN EDGE OF THE FILM TO THE DIE USING STRIP MAGNETS, MASKING, DUCT OR DOUBLE FACED TAPE FOR WHICHEVER SURFACE YOU WANT TO PROTECT. LET THE FILM "FLOP" OVER THE DIE, BEGIN FORMING.

**MODEL NO. Q80-4000**

ROLL SIZE: 4" WIDE X 100' LONG X .015"  
(102mm x 30.5m x .4mm)

OTHER WIDTHS AVAILABLE UPON APPLICATION



## SPRAY ENAMEL

- FAST DRYING • LEAD FREE
- INDOOR AND OUTDOOR USE • PREVENTS RUST

**MODEL NO. M92-1010 - FLAT BLACK**

**MODEL NO. M92-1012 - CHROME ALUMINUM**

**MODEL NO. M92-1014 - HAMM-R-TONE**

FURNISHED IN 16 oz (453g) AEROSOL CANS

NET WEIGHT: 12 oz (340g) PACKAGED 6 CANS PER CARTON




## TACKY TAPE

- FOR SOUND DEADENING OF WORK TOPS

**MODEL NO. Q85-5225...ONE CASE**  
(24 ROLLS/CASE)

ROLL SIZE: 3/4" WIDE X 3/32" THICK X 45 FT.  
(19mm x 2mm x 14m)



## SOUND PADS

- EASY TO APPLY • SELF ADHERING

IMMEDIATE ADHESION  
CONTROLS NOISE, DAMPS VIBRATION IN SHEET METAL.  
THE FLEXIBLE ALUMINUM BACKING FOLLOWS ANY  
CONTOUR & MATCHES STAINLESS STEEL.

**MODEL NO. Q76-1250**

SOLD BY 10 PIECE PACK ONLY

PAD SIZE: 3-1/2" X 10" X 1/16" (90mm x 250mm x 2mm)  
WGT. 2.8 Oz. (79g)



## SANITIZING SPRAYS

SANIGUARD SANITIZING SPRAY IS AVAILABLE IN A NUMBER OF CONVENIENT SIZED CONTAINERS. POCKET-SIZES ARE PERFECT FOR PURSES AND CARRYING EVERYDAY. LARGER SIZES ARE IDEAL FOR GLOVE BOXES AND HOME USE, ENSURING THAT YOU HAVE WHAT YOU NEED, WHEN YOU NEED IT, TO CREATE A SAFE AND HEALTHY ENVIRONMENT.

AVAILABLE SPRAY CAN SIZES...

- 10 oz FOR HOME AND BUSINESS USE

**REF. A MODEL NO. SG52-4000-CS (12 PCS/CS)**

## ROOM FOGGERS

SANIGUARD TOTAL RELEASE FOGGER ENABLES YOU TO SANITIZE ENTIRE ROOMS IN JUST MINUTES WITH THE SAME "KILL ON CONTACT" POWER OF THE CONVENTIONAL SANIGUARD SPRAYS. EACH 8 oz. FOGGER TREATS UP TO 625 sq. ft. IN ONE APPLICATION, ALMOST INSTANTLY GETTING RID OF DISEASE CAUSING MICROBES! THE 3 oz. SANIGUARD FOGGER IS PERFECT FOR DORM ROOMS, HOTELS, CRUISE SHIP CABINS, AIRPLANES AND MORE.

AVAILABLE FOGGER SIZES...

- 3 oz PORTABLE AND CONVENIENT

**REF. B MODEL NO. SG55-1000-CS (12 PCS/CS)**

- 8 oz FOR HOME AND BUSINESS USE

**REF. C MODEL NO. SG55-2000-CS (12 PCS/CS)**

MODEL NO.	PAGE NO.	MODEL NO.	PAGE NO.	MODEL NO.	PAGE NO.	MODEL NO.	PAGE NO.	MODEL NO.	PAGE NO.
1902-6-32	H9	M90-0312	H3	Q84-2075	H12				
1902-8-32	H9	M90-0314	H3	Q84-3200	H12				
1902-10-24	H9	M90-1010	H3	Q84-4250	H12				
1902-10-32	H9	M90-1012	H3	Q84-5075	H12				
1902-1/4-20	H9	M90-1014	H3	Q85-1010	H2				
1904-6-32	H9	M90-1016	H3	Q85-1012	H2				
1904-8-32	H9	M90-1018	H3	Q85-2004	H2				
1904-10-24	H9	M90-5012	H3	Q85-2016	H2				
1904-10-32	H9	M92-1010	H12	Q85-201606	H2				
1904-1/4-20	H9	M92-1012	H12	Q85-201612	H2				
AC-3011	H7	M92-1014	H12	Q85-2128	H2				
AC-3014	H7	MK-1600-E	H9	Q85-212804	H2				
AC-3015	H7	MK-1800-E	H9	Q85-5225	H12				
AC-3018	H7	MK-3320-E	H9	Q85-7000	H2				
AC-3019	H7	Q31-1024	H4	Q85-7500	H2				
AC-3022	H7	Q31-1420	H4	Q85-8000	H2				
AC-3026	H7	Q32-1024	H4	Q85-8500	H2				
ACD-8100	H6	Q32-1420	H4	Q90-2126	H8				
ACD-8102	H6	Q33-1024	H4	Q91-3503	H8				
ACD-8104	H6	Q33-2024	H4	Q91-3505	H8				
AK-4036	H6	Q34-1024	H4	Q99-1000	H3				
AK-4050	H6	Q34-2024	H4	QIC-1024	H5				
AK-4060	H6	Q36-0001	H5	QIC-1420	H5				
AK-4080	H6	Q36-0028	H5	QOR-0716	H5				
AK-4100	H6	Q36-1010	H4	QOR-1024	H5				
AK-4120	H6	Q36-1012	H4	QOR-1420	H5				
AK-5036	H6	Q36-1013	H4	QTC-0716	H5				
AK-5050	H6	Q36-1014	H4	QTC-1024	H5				
AK-5060	H6	Q36-1018	H4	QTC-1420	H5				
AK-5080	H6	Q36-1110	H4	SG52-4000-CS	H12				
AK-5100	H6	Q36-1112	H4	SG55-1000-CS	H12				
AK-5120	H6	Q36-1113	H4	SG55-2000-CS	H12				
AK-7036	H6	Q36-1114	H4						
AK-7050	H6	Q36-1116	H4						
AK-7060	H6	Q36-1310	H4						
AK-7080	H6	Q36-1312	H4						
AK-7100	H6	Q36-1314	H4						
AK-7120	H6	Q36-1316	H4						
AK-7440	H6	Q36-1410	H4						
AK-7446	H6	Q36-1412	H4						
AK-7447	H6	Q36-1414	H4						
AK-7448	H6	Q36-1416	H4						
AK-7486	H6	Q35-X100	H5						
AK-7496	H6	Q37-0250	H4						
AN-5050	H6	Q37-1412	H4						
AN-5060	H6	Q37-3162	H4						
AN-5080	H6	Q45-4200	H4						
AN-7050	H6	Q45-4300	H4						
AN-7060	H6	Q45-4400	H4						
AN-7080	H6	Q45-4600	H4						
AQ-7401	H7	Q45-4800	H4						
AQ-7402	H7	Q58-0001	H8						
AQ-7405	H7	Q59-1500	H8						
AQ-7409	H7	Q59-4440	H8						
AQ-7411	H7	Q75-1366	H3						
AQ-7413	H7	Q75-1366-DR	H3						
AZ-95016	H6	Q75-2500	H3						
AZ-95018	H6	Q76-1250	H12						
DBR-1000	H8	Q77-1000	H3						
DBR-1000-RR	H8	Q77-1240	H3						
DBR-1000-RS	H8	Q77-1250	H3						
FR-1218	H9	Q77-1260	H3						
FR-1224	H9	Q80-4000	H12						
FR-88162	H9	Q84-1075	H12						
FR-88163	H9	Q84-1100	H12						
FR-88178	H9	Q84-1150	H12						
FR-88179	H9	Q84-1200	H12						
M90-0310	H3	Q84-1300	H12						



**COMPONENT  
HARDWARE**

1890 Swarthmore Avenue • PO Box 2020 • Lakewood • NJ 08701

Tel. 800-526-3694 • 732-363-4700 • Fax 732-364-8110

[www.componenthardware.com](http://www.componenthardware.com)

